

Safety Data Sheet

Issue Date: 30-Mar-2020

Revision Date: 30-Mar-2020

Version 1

1. IDENTIFICATION

| Product identifier Product Name | Hi-Temp 1800 Mold Release |
|---|---|
| Other means of identification SDS # | 44110A |
| UN/ID No | UN1950 |
| Recommended use of the chemical Recommended Use | and restrictions on use Mold Release for industrial use. |
| Details of the supplier of the safety Supplier Address Slide Products Inc. 430 Wheeling Road Wheeling, IL 60090 | data sheet |
| Emergency telephone number | D |

Company Phone Number

Emergency Telephone

Phone: 1-847-541-7220 Fax: 1-847-541-7986 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

| Serious eye damage/eye irritation | Category 2 |
|-----------------------------------|----------------|
| Aerosols | Category 1 |
| Gases under pressure | Compressed gas |

Signal Word Danger

Hazard statements

Causes serious eye irritation Extremely flammable aerosol Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 50 °C/122 °F

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|--------------------|------------|----------|
| Dimethyl ether | 115-10-6 | 35-45 |
| 1,1 difluoroethane | 75-37-6 | 35-45 |
| Acetone | 67-64-1 | 5-10 |
| Isopropyl Alcohol | 67-63-0 | 3-7 |
| Boron Nitride | 10043-11-5 | 0.1-1 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| Eye Contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
|------------------------------------|--|
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. |
| Inhalation | Remove to fresh air. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Most important symptoms and effe | cts, both acute and delayed |
| Symptoms | May be harmful if swallowed. Causes serious eye irritation. |
| Indication of any immediate medica | al attention and special treatment needed |
| Notes to Physician | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| 6. ACCIDENTAL RELEASE MEASURES | | | |
|---|---|--|--|
| Personal precautions, protective equipment and emergency procedures | | | |
| Personal Precautions | Use personal protective equipment as required. | | |
| Environmental precautions | | | |
| Methods and material for contain | ment and cleaning up | | |
| Methods for Containment | Prevent further leakage or spillage if safe to do so. | | |
| Methods for Clean-Up | Keep in suitable, closed containers for disposal. | | |
| 7. HANDLING AND STORAGE | | | |
| Precautions for safe handling | | | |
| Advice on Safe Handling | Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. | | |
| Conditions for safe storage, including any incompatibilities | | | |
| Storage Conditions | Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 $^{\circ}C/122^{\circ}F$. | | |
| Incompatible Materials | None known based on information supplied. | | |
| 8 EXPOSUBE CONTROLS/PERSONAL PROTECTION | | | |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|-------------------------------|---|---|
| 1,1 difluoroethane 75-37-6 | TWA: 1000 ppm | - | - |
| Acetone 67-64-1 | STEL: 500 ppm TWA: 250 ppm | TWA: 1000 ppm TWA: 2400 mg/m ³ (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m ³ (vacated) STEL: 2400 mg/m ³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors. (vacated) STEL: 1000 ppm | IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m ³ |
| Isopropyl Alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³ |

Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | Not determined Not determined Not determined | Odor Odor Threshold | Not determined Not determined |
|---|--|------------------------|----------------------------------|
| Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity | Values_ Not determined Not determined | Remarks • Method | |
| Explosive Properties Oxidizing Properties | Not determined Not determined | | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | |
|---------------------|------------------------------|
| Eye Contact | Avoid contact with eyes. |
| Skin Contact | Avoid contact with skin. |
| Inhalation | Do not inhale. |
| Ingestion | May be harmful if swallowed. |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|--------------------|-------------------------|---------------------------------------|
| Dimethyl ether 115-10-6 | - | - | = 164000 ppm (Rat) 4 h |
| 1,1 difluoroethane 75-37-6 | - | - | = 977 g/m ³ (mouse) 2h |
| Acetone 67-64-1 | = 5800 mg/kg (Rat) | > 15700 mg/kg (Rabbit) | = 50100 mg/m ³ (Rat) 8 h |
| Isopropyl Alcohol 67-63-0 | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | = 72600 mg/m ³ (Rat) 4 h |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

| Chemical name | ACGIH | IARC | NTP | OSHA |
|------------------------------|-------|---------|-----|------|
| Isopropyl Alcohol 67-63-0 | | Group 3 | | Х |

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens" OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

| Oral LD50 | 4,252.75 mg/kg |
|-------------------------------|-----------------|
| Dermal LD50 | 10,226.00 mg/kg |
| ATEmix (inhalation-dust/mist) | 102.50 mg/L |

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|-------------------|----------------------------------|-----------------------------------|--------------------------------|
| Dimethyl ether | | 4.1: 96 h Poecilia reticulata g/L | |
| 115-10-6 | | LC50 semi-static | |
| Acetone | | 4.74 - 6.33: 96 h Oncorhynchus | 12600 - 12700: 48 h Daphnia |
| 67-64-1 | | mykiss mL/L LC50 6210 - 8120: 96 | magna mg/L EC50 10294 - 17704: |
| | | h Pimephales promelas mg/L LC50 | 48 h Daphnia magna mg/L EC50 |
| | | static 8300: 96 h Lepomis | Static |
| | | macrochirus mg/L LC50 | |
| Isopropyl Alcohol | 1000: 72 h Desmodesmus | 9640: 96 h Pimephales promelas | 13299: 48 h Daphnia magna mg/L |
| 67-63-0 | subspicatus mg/L EC50 1000: 96 h | mg/L LC50 flow-through 11130: 96 | EC50 |
| | Desmodesmus subspicatus mg/L | h Pimephales promelas mg/L LC50 | |
| | EC50 | static 1400000: 96 h Lepomis | |
| | | macrochirus µg/L LC50 | |
| Boron Nitride | | 100: 96 h Oncorhynchus mykiss | |
| 10043-11-5 | | mg/L LC50 static | |

Persistence/Degradability Not determined.

<u>Bioaccumulation</u> There is no data for this product.

<u>Mobility</u>

| Chemical name | Partition coefficient |
|-------------------|-----------------------|
| Dimethyl ether | -0.18 |
| 115-10-6 | |
| Acetone | -0.24 |
| 67-64-1 | |
| Isopropyl Alcohol | 0.05 |
| 67-63-0 | |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

| Disposal of Wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|------------------------|---|
| Contaminated Packaging | Disposal should be in accordance with applicable regional, national and local laws and regulations. |

US EPA Waste Number

| Chemical name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|---------------------------|------------------------|------------------------|
| Acetone | | Included in waste stream: | | U002 |
| 67-64-1 | | F039 | | |

California Hazardous Waste Status

| Chemical name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Acetone 67-64-1 | Ignitable |
| Isopropyl Alcohol 67-63-0 | Toxic Ignitable |

14. TRANSPORT INFORMATION

<u>Note</u>

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

| <u>DOT</u> UN/ID No Proper Shipping Name Hazard class | UN1950 Aerosols 2.1 |
|--|--------------------------------------|
| IATA UN number Proper Shipping Name Transport hazard class(es) | UN1950 Aerosols, flammable 2.1 |
| <u>IMDG</u> UN number Proper Shipping Name Transport hazard class(es) | UN1950 Aerosols 2.1 |

15. REGULATORY INFORMATION

International Inventories

| Chemical name | TSCA | TSCA Inventory Status | DSL/NDSL | EINECS/ELI NCS | ENCS | IECSC | KECL | PICCS | AICS |
|--------------------|------|--------------------------|----------|-------------------|------|-------|------|-------|------|
| Dimethyl ether | Х | ACTIVE | Х | Х | Х | Х | Х | Х | Х |
| 1,1 difluoroethane | Х | ACTIVE | Х | Х | Х | Х | Х | Х | Х |
| Acetone | Х | ACTIVE | Х | Х | Х | Х | Х | Х | Х |
| Isopropyl Alcohol | Х | ACTIVE | Х | Х | Х | Х | Х | Х | Х |
| Boron Nitride | Х | ACTIVE | Х | Х | Х | Х | Х | Х | Х |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Acetone | 5000 lb | | RQ 5000 lb final RQ |
| 67-64-1 | | | RQ 2270 kg final RQ |

SARA 313

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-----------------------------|---------|----------|----------------------------------|
| Isopropyl Alcohol - 67-63-0 | 67-63-0 | 3-7 | 1.0 |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Dimethyl ether 115-10-6 | Х | Х | Х |
| 1,1 difluoroethane 75-37-6 | Х | X | |
| Acetone 67-64-1 | Х | X | Х |
| Isopropyl Alcohol 67-63-0 | Х | X | Х |

16. OTHER INFORMATION

| <u>NFPA</u> HMIS | Health Hazards Not determined Health Hazards Not determined | Flammability Not determined Flammability Not determined | Instability Not determined Physical hazards Not determined | Special Hazards Not determined Personal Protection Not determined |
|-------------------------------|--|--|---|--|
| Issue Date: Revision Date: | 30-Mar- 30-Mar- | | | |

New formulation

Disclaimer

Revision Note:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet